



CREATIVELY INNOVATE



BEAUTY & INNOVATION

BONZA

Big Tiles is a name to reckon with pride in the real estate development in Gujarat. We do not design merely a tiles. We design every square inch with impeccable quality. Every inch of it speaks aloud of our quality, success and commitment. Since 2008, we have developed more than 150, 00,000 square meters of tiles. This in itself is enough to prove our expertise. At BONZA, we believe that real success is not in earning money but in earning trust. And we are in proud possession of this treasure called trust of our valued customers. We understand that time is an essence. And that's why we tolerate no delays and have a record of timely delivery of all materials. With this, we have never compromised a bit in providing the finest quality with magnificent designs. Customer satisfaction is at the core of whatever we do.

GLOSSY SERIES









ATENEA GREY

Finish: Glossy

Thickness: 9MM













































ATENEA PULTO

Finish: Glossy

Thickness: 9MM

Size:

600X1200MM



























ALASKA WHITE

Finish: Glossy

Thickness: 9MM















ANTIQUE MACDONIA

Finish: Glossy

Thickness: 9MM

Size:

600X1200MM































BONZA



ANTOLIA REALE

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM


























BONZA

Applicable:

Anti-slip

Frost resistant

Resistant to staining



ANTIQUE RIANO

Finish: Glossy

Thickness: 9MM

Size:

600X1200MM

















Finish: Glossy

Thickness: 9MM

Size: 600X1200MM



























Applicable:

Anti-slip

Frost resistant

Resistant to staining



BRECCIA LIMESTONE

Finish: Glossy

Thickness: 9MM











Applicable:

Anti-slip

Thermal shock resistant

Frost resistant

Resistant to staining



BRECCIA NATURAL

Finish: Glossy

Thickness: 9MM











BONZA



BRECCIA ROSTONE

Finish: Glossy

Thickness: 9MM



























Frost resistant

Resistant to staining




BENTLY WHITE

Finish: Glossy

Thickness: 9MM













Applicable:

Anti-slip

Frost resistant

Resistant to staining



BONZA BEIGE

Finish: Glossy

Thickness: 9MM













BONZ BOTO CREMA

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM

































Breaking Strength









BRECCIA EON

Finish: Glossy

Thickness: 9MM













Anti-slip

Frost resistant

Resistant to staining



BRECCIA SEEMLESS

Finish: Glossy

Thickness: 9MM
















CARRARA SMART

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM



































Thermal shock resistant









CELIO LIGHT

Finish: Glossy

Thickness: 9MM
































CELIO


Finish: Glossy

Thickness: 9MM















Anti-slip

Breaking Strength

Thermal shock resistant

Frost resistant

Resistant to staining

DECOR CRYSTAL WHITE & CRYSTAL WHITE

Finish: Glossy

Thickness: 9MM

Size:

600X1200MM













Anti-slip

Frost resistant

Resistant to staining

DYNA GOLD

Finish: Glossy

Thickness: 9MM















DYNO REALE

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM







Applicable:











Thermal shock resistant











Anti-slip

Frost resistant

Resistant to staining



DYNO ROYAL

Finish: Glossy

Thickness: 9MM











BONZ

FOREST COFFEE

Finish: Glossy

Thickness: 9MM

























BONZA

Applicable:

Anti-slip

Frost resistant

Resistant to staining



FOREST WHITE

Finish: Glossy

Thickness: 9MM















FOREST BROWN

Finish: Glossy

Thickness: 9MM



























Anti-slip

Frost resistant

Resistant to staining



GLACIAR BIANCO

Finish: Glossy

Thickness: 9MM











BONZA

Anti-slip

Frost resistant

Resistant to staining



GOLDEN CALACATTA

Finish: Glossy

Thickness: 9MM






























GOLDEN MIST

Finish: Glossy

Thickness: 9MM













HAVOK VERDE

Finish: Glossy

Thickness: 9MM

























BONZA

Applicable:

Anti-slip

Frost resistant

Resistant to staining



HAWAI WHITE

Finish: Glossy

Thickness: 9MM













Anti-slip

Frost resistant

Resistant to staining

ITALIAN BEIGE

Finish: Glossy

Thickness: 9MM













ITALIAN COFFEE

Finish: Glossy

Thickness: 9MM

























LAYLA CREMA

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM







Applicable:









Thermal shock resistant













LONA GREY

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM







Applicable:



















Anti-slip

Frost resistant

Resistant to staining



LUX WHITE

Finish: Glossy

Thickness: 9MM





























MACRONI RIVER

Finish: Glossy

Thickness: 9MM













Frost resistant

Resistant to staining



MARMI STATUARIO

Finish: Glossy

Thickness: 9MM













Anti-slip

Frost resistant

Resistant to staining

MELODY BEIGE

Finish: Glossy

Thickness: 9MM













MELODY TAUPE

Finish: Glossy

Thickness: 9MM



























Anti-slip

Frost resistant

Resistant to staining



MELODY LIGHT

Finish: Glossy

Thickness: 9MM












Frost resistant



MOSCHINO

Finish: Glossy

Thickness: 9MM













Anti-slip

Breaking Strength

Thermal shock resistant

Frost resistant

Resistant to staining



NAPLES BRUNO

Finish: Glossy

Thickness: 9MM















Anti-slip

Breaking Strength

Thermal shock resistant

Frost resistant

Resistant to staining



ORBITO GREY

Finish: Glossy

Thickness: 9MM























ORBITO MIST

Finish: Glossy

Thickness: 9MM




























POLIDO GREY

Finish: Glossy

Thickness: 9MM















POLIDO PERLA

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM




























Frost resistant


Resistant to staining




POLATO NERO

Finish: Glossy

Thickness: 9MM















PULPIS BEIGE

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM



























Anti-slip

Breaking Strength

Frost resistant

Resistant to staining

PULPIS CREMA

Finish: Glossy

Thickness: 9MM













PULPIS GREY

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM

























Anti-slip

Frost resistant

Resistant to staining



ROMA TRAVERTINO

Finish: Glossy

Thickness: 9MM













ROYAL ONYX

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM























BONZA













Thermal shock resistant







SARREN COLLIN

Finish: Glossy

Thickness: 9MM





























SILVER GREY

Finish: Glossy

Thickness: 9MM















Anti-slip

Frost resistant

Resistant to staining



SILVER TRAVERTINO

Finish: Glossy

Thickness: 9MM

Size:

600X1200MM











BONZA



SKY VALENCIA

Finish: Glossy

Thickness: 9MM

























BONZA















SOLACE GREY

Finish: Glossy

Thickness: 9MM















STATUARIO

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM







Applicable:




















STATUARIO NUVO

Finish: Glossy

Thickness: 9MM

























TORINO CREMA

Finish: Glossy

Thickness: 9MM

Size: 600X1200MM







Applicable:

























Applicable:





Breaking Strength



Thermal shock resistant







TORINO SKY

Finish: Glossy

Thickness: 9MM













Applicable:

Anti-slip

Frost resistant

Resistant to staining



TRAVERTINO PEARLA

Finish: Glossy

Thickness: 9MM













Applicable:

Anti-slip

Frost resistant

Resistant to staining

TURKEY DYNA

Finish: Glossy

Thickness: 9MM

























Resistant to staining



VENICE NATURAL

Finish: Glossy

Thickness: 9MM













VENICE SILVER

Finish: Glossy

Thickness: 9MM





















BONZA TECHNICAL SPECIFICATION

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP B1a	BONZA VALUE
	DIMENSION & SURFACE QUAL	ITY	
Deviation in length	ISO-10545-2	± 0.6%	± 0.2%
Deviation in Thickness	ISO-10545-2	± 5%	± 3%
Straight of Sides	ISO-10545-2	± 0.5%	± 0.2%
Rectangularity	ISO-10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO-10545-2	± 0.5% ± 0.2%	
	PHYSICAL & THERMAL PROPE	RTIES	
Water Absorption	ISO-10545-3	< 0.50% < 0.049	
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	> 35N/mm²	>40N/mm²
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strenght	ISO-10545-11	>1113N	>1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Noisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV
	CHEMICAL PROPERTIES		
Chemical Resistance	ISO-10545-13	No Damage No Damage	
Color Resistance	ISO-10545-16	No Damage No Damage	
Stain Resistance	ISO-10545-14	Resistant Resistant	

PACKING DETAILS

Dimension (MM)	BOX			
	PIECES	Sq. Mtr.	Sq. Feet	Weight (Apx.)
600X1200MM	2	1.44	15.50	30Kgs.







