

1
CREATIVELY
Innovate

S E R I E S
ROCKER
SHINE

BONZA 



BONZA

DERIVED FROM
NATURE



ROCKER
SHINE
S E R I E S

600 X 1200MM

BONZA 



MODERN SCULPTURE
REDEFINED

ABOUT US.

Big Tiles is a name to reckon with pride in the real estate development in Gujarat. We do not design merely a tiles. We design every square inch with impeccable quality. Every inch of it speaks aloud of our quality, success and commitment. Since 2008, we have developed more than 150, 00,000 square meters of tiles. This in itself is enough to prove our expertise. At BONZA, we believe that real success is not in earning money but in earning trust. And we are in proud possession of this treasure called trust of our valued customers. We understand that time is an essence. And that's why we tolerate no delays and have a record of timely delivery of all materials. With this, we have never compromised a bit in providing the finest quality with magnificent designs. Customer satisfaction is at the core of whatever we do.





ANTIQUÉ FIORITO



DECOR ANTIQUÉ FIORITO



DECOR ANTIQUÉ FIORITO

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM





DECOR ANTIQUE FIORITO



DECOR ANTIQUE FIORITO



DECOR ANTIQUE FIORITO



DECOR ANTIQUE FIORITO



DECOR ANTIQUE FIORITO

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



ANTIQUE FIORITO



ANTIQUE FIORITO



ANTIQUE FIORITO



ANTIQUE FIORITO

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



ARMONIA BEIGE



ARMONIA BEIGE



ARMONIA BEIGE

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







ARMONIA BEIGE



ARMONIA BEIGE



ARMONIA BEIGE



ARMONIA BEIGE

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



ARMONIA GREY



ARMONIA GREY



ARMONIA GREY

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







ARMONIA GREY



ARMONIA GREY



ARMONIA GREY



ARMONIA GREY

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining




Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



BASALT BIRCH



DECOR BASALT CAROB



BASALT CAROB



BASALT

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







DECOR BASALT CAROB



BASALT BIRCH



BASALT BIRCH



BASALT BIRCH

Applicable:




Resistant to abrasion Anti-slip Breaking Strength Thermal shock resistant Frost resistant Resistant to staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



DECOR BASALT CAROB



BASALT CAROB



BASALT CAROB



BASALT CAROB

Applicable:



Resistant to abrasion Anti-slip Breaking Strength Thermal shock resistant Frost resistant Resistant to staining




Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



BASALT CLOUD



DECOR BASALT CLOUD



BASALT CEMENT



BASALT

Applicable:




Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







DECOR BASALT CLOUD



BASALT CLOUD



BASALT CLOUD



BASALT CLOUD

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



DECOR BASALT CLOUD



BASALT CEMENT



BASALT CEMENT



BASALT CEMENT

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



BASALT BIRCH



DECOR BASALT TAN



BASALT TAN



BASALT

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







DECOR BASALT TAN



BASALT BIRCH



BASALT BIRCH



BASALT BIRCH

Applicable:



Resistant to abrasion Anti-slip Breaking Strength Thermal shock resistant Frost resistant Resistant to staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



DECOR BASALT TAN



BASALT TAN



BASALT TAN



BASALT TAN

Applicable:




Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



ROCK CIANA WHITE



DECOR ROCK CIANA WHITE



ROCK CIANA WHITE


Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM





ROCK CIANA WHITE



ROCK CIANA WHITE



ROCK CIANA WHITE



ROCK CIANA WHITE



ROCK CIANA WHITE

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining




Finish : Rocker Shine


Thickness : 9MM

Size : 600 X 1200MM


DECOR ROCK CIANA WHITE




DECOR ROCK CIANA WHITE



DECOR ROCK CIANA WHITE



DECOR ROCK CIANA WHITE



DECOR ROCK CIANA WHITE

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM

BONZA



NORD BIRCH



DECOR NORD FLOWER



NORD UMBER



N O R D

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







DECOR NORD FLOWER



NORD BIRCH



NORD BIRCH



NORD BIRCH

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



DECOR NORD FLOWER



NORD UMBER



NORD UMBER



NORD UMBER

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



NORD PEARL



DECOR NORD IRON



NORD IRON



N O R D


Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







DECOR NORD IRON



NORD PEARL



NORD PEARL



NORD PEARL

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



DECOR NORD IRON



NORD IRON



NORD IRON



NORD IRON

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



NORD BIRCH



DECOR NORD SIDEWALK



NORD SIDEWALK



NORD

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







DECOR NORD SIDEWALK



NORD BIRCH



NORD BIRCH



NORD BIRCH

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



DECOR NORD SIDEWALK



NORD SIDEWALK



NORD SIDEWALK



NORD SIDEWALK

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM




NORD PEARL



DECOR NORD YALE



NORD YALE



N O R D

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







DECOR NORD YALE



NORD PEARL



NORD PEARL



NORD PEARL

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



DECOR NORD YALE



NORD YALE



NORD YALE



NORD YALE

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



KENYA BEIGE



KENYA BEIGE



KENYA BEIGE

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







KENYA BEIGE



KENYA BEIGE



KENYA BEIGE



KENYA BEIGE

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



KENYA GREY



KENYA GREY



KENYA GREY

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







KENYA GREY



KENYA GREY



KENYA GREY



KENYA GREY

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining




Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM

BONZA



ROCK MARMİ STATURIO



DECOR ROCK MARMİ STATURIO



ROCK MARMİ STATURIO


Applicable:



Finish : Rocker Shine


Thickness : 9MM

Size : 600 X 1200MM





ROCK MARMISTATUARIO



ROCK MARMISTATUARIO



ROCK MARMISTATUARIO



ROCK MARMISTATUARIO



ROCK MARMISTATUARIO

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM

DECOR ROCK MARMI STATURIO



DECOR ROCK MARMI STATURIO



DECOR ROCK MARMI STATURIO



DECOR ROCK MARMI STATURIO



DECOR ROCK MARMI STATURIO

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



LLOYD BEIGE



LLOYD GRAPHITE



LLOYD

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







LLOYD BIEGE



LLOYD BIEGE



LLOYD BIEGE



LLOYD BIEGE

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



LLOYD GRAPHITE



LLOYD GRAPHITE



LLOYD GRAPHITE



LLOYD GRAPHITE

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



LLOYD WHITE



LLOYD GREY



LLOYD

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM







LLOYD WHITE



LLOYD WHITE



LLOYD WHITE



LLOYD WHITE

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



LLOYD GREY



LLOYD GREY



LLOYD GREY



LLOYD GREY

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



ROCK CREMA TRAVENTEN



ROCK CREMA TRAVENTEN



ROCK CREMA TRAVENTEN



Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



ROCK CREMA TRAVENTEN



ROCK CREMA TRAVENTEN



ROCK CREMA TRAVENTEN



ROCK CREMA TRAVENTEN



ROCK CREMA TRAVENTEN

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM



TRAVERTINO PERSIAN



TRAVERTINO CAPRICO



TRAVERTINO

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM





TRAVERTINO PERSIAN



TRAVERTINO PERSIAN



TRAVERTINO PERSIAN



TRAVERTINO PERSIAN



TRAVERTINO PERSIAN

Applicable:



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM

TRAVERTINO CAPRICO



TRAVERTINO CAPRICO



TRAVERTINO CAPRICO



TRAVERTINO CAPRICO



TRAVERTINO CAPRICO

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



Finish : Rocker Shine

Thickness : 9MM

Size : 600 X 1200MM

BONZA TECHNICAL SPECIFICATION

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD	BONZA VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length	ISO-10545-2	±0.6%	± 0.3%
Deviation in Thickness	ISO-10545-2	± 5%	± 3%
Straight of Sides	ISO-10545-2	± 0.5%	± 0.2%
Rectangularity	ISO-10545-2	± 0.5%	± 0.3%
Surface Flatness	ISO-10545-2	± 0.5%	± 0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	< 0.50%	< 0.20%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	> 35N/mm ²	> 40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strength	ISO-10545-11	> 1113N	> 1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

PACKING DETAILS

Dimension (MM)	BOX			
	Pieces	Sq.Mtr.	Sq.feet	Weight (Apx.)
600x1200MM	2	1.44	15.50	29Kgs.



BONZA

Bonza Vitrified Pvt. Ltd.
Nr. Racy Sanitary Ware,
Survey 192 P1 & P2,
Dhuva - Matel Road,
Dist: Morbi - 363621,
Gujarat - India.

www.bonzavitrified.com
kamlesh@bonzavitrified.com
export@bonzavitrified.com
Customer - +91 95372 88444